

# Cynomolgus SLC39A6(LIV-1) Protein; His Tag


## Product Information

|                        |   |
|------------------------|---|
| <b>Product Name</b>    | Cynomolgus SLC39A6(LIV-1) Protein; His Tag  |
| <b>Storage temp</b>    | Store at $\leq -70^{\circ}\text{C}$ , stable for 6 months after receipt.<br>Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles. |
| <b>Catalog# / Size</b> | <b>GM-88228RP-100 / 100 <math>\mu\text{g}</math></b><br><b>GM-88228RP-1000 / 1 mg</b>   |

## Protein Information


|                           |  |
|---------------------------|--|
| <b>Alternative Names</b>  | SLC39A6, LIV-1, ZIP6, Zinc transporter ZIP6, ZIP-6   |
| <b>Source</b>             | Cynomolgus SLC39A6(LIV-1) Protein; His Tag (GM-88228RP) is expressed from human 293 cells (HEK-293). It contains AA Leu 21 - Gln 308 (Accession # A0A2K5WH46-1).<br>This protein carries a His tag at the C-terminus.  |
| <b>Purity</b>             | > 90% as determined by SDS-PAGE  |
| <b>Endotoxin</b>          | < 1 EU/ $\mu\text{g}$ , determined by LAL gel clotting assay   |
| <b>Predicted Mol Mass</b> | 33.3 KDa   |
| <b>Formulation</b>        | Supplied as a 0.2 $\mu\text{m}$ filtered solution of PBS, pH7.2-7.4.   |
| <b>Description</b>        | SLC39A6 (ZIP6) is a member of the ZIP family of metal ion transporters. It mediates $\text{Zn}^{2+}$ uptake, maintaining Zinc homeostasis across tissues. As a transmembrane protein, ZIP6 facilitates Zinc influx from outside to the cytosol, influencing many Zinc -dependent enzymes and TFs. ZIP6 expression is tissue-specific and modulated by development and stress, contributing to proliferation, differentiation, and epithelial-mesenchymal transition (EMT) in some contexts. SLC39A6 links $\text{Zn}^{2+}$ signaling to cellular responses, affecting growth, differentiation, and apoptosis via Zinc-dependent modulation of signaling proteins and TFs. It has been associated with STAT, MAPK, and $\beta$ -catenin pathways, driven by intracellular Zinc changes. By altering Zinc availability, ZIP6 modulates Zinc-finger TFs and Zinc-dependent enzymes, impacting gene programs and downstream outcomes such as development and cancer signaling. |

## SDS-PAGE




On SDS-PAGE under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 90%.

## Bioactivity-ELISA



Cynomolgus SLC39A6(LIV-1) Protein; His Tag (Catalog # GM-88228RP) was immobilized at 2 µg/ml (100 µL/well). Increasing concentrations of Anti-H\_SLC39A6 hIgG1 Antibody(Ladiratuzumab) (Catalog # GM-26839AB) were added.



Cynomolgus SLC39A6(LIV-1) Protein; His Tag (Catalog # GM-88228RP) was immobilized at 2 µg/ml (100 µL/well). Increasing concentrations of Anti-SLC39A6 hIgG1 Reference Antibody (Ladbio) (Catalog # GM-87101MAB) were added.