

Anti-Mouse PD-L1 mIgG1 Antibody(10F.9G2)

Product Information


Product Name	Anti-Mouse PD-L1 mIgG1 Antibody(10F.9G2)
Storage temp.	Store at 2-8°C short term (1-2 weeks).Store at \leq -20°C long term. Avoid repeated freeze-thaw.
Catalog# / Size	GM-86950AB-1mg / 1 mg GM-86950AB-5mg / 5 mg GM-86950AB-25mg / 25 mg GM-86950AB-50mg / 50 mg GM-86950AB-100mg / 100 mg

Antibody Information

Expression System	CHO
Aggregation	< 5% as determined by SEC-HPLC
Purity	> 95% as determined by SDS-PAGE
Endotoxin	< 1 EU/mg, determined by LAL gel clotting assay
Sterility	0.2 μ m Filtered
Target	PD-L1
Clone	10F.9G2
Other Names	B7-H, B7H1, PD-L1, PDCD1L1, PDCD1LG1, PDL1, hPD-L1
Source/Isotype	Monoclonal Mouse IgG1 D265A, kappa
Description	This gene encodes an immune inhibitory receptor ligand that is expressed by hematopoietic and non-hematopoietic cells, such as T cells and B cells and various types of tumor cells. The encoded protein is a type I transmembrane protein that has immunoglobulin V-like and C-like domains. Interaction of this ligand with its receptor inhibits T-cell activation and cytokine production. During infection or inflammation of normal tissue, this interaction is important for preventing autoimmunity by maintaining homeostasis of the immune response. In tumor microenvironments, this interaction provides an immune escape for tumor cells through cytotoxic T-cell inactivation. Expression of this gene in tumor cells is considered to be prognostic in many types of human malignancies, including colon cancer and renal cell carcinoma. Alternative splicing results in multiple transcript variants.
Formulation	Phosphate-buffered solution, pH 7.2.


Version:3.3.

SDS-PAGE



On SDS-PAGE under reducing (R)/non-reducing(N-R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 95%.

SEC-HPLC



The purity of this product is more than 95% verified by SEC-HPLC.

Bioactivity-ELISA

Mouse PDL1 Protein; His Tag (Catalog # GM-87601RP) was immobilized at 2 $\mu\text{g/ml}$ (100 $\mu\text{L/well}$). Increasing concentrations of Anti-mouse PD-L1 mIgG1 Antibody(10F.9G2) (Catalog # GM-86950AB) were added.




Fig . assay